

Practical 11: A Nervous Lamp

How to Build a Digital-Physical System

AME 394

Wednesday 16th November 2011

Before we begin...

This Friday, **FAC**

**Body/Machine vs. Brain/Machine
Interfaces,**

Sandro Mussa-Ivaldi

3-4pm, Stauffer B 125

Next Class

**Movement, Mechanics and
Kinematics**

Programming?

How is everyone finding the programming so far?

This Class

Assignment:

Document the outcomes

Include:

- Completed code,
- Learnings
- things you tinkered with, etc.

Lets make a lamp nervous...

3 parter

Code is on the Wiki

Range Finder

- Sends an Ultrasonic pulse
- 0 - 255 inches
- Use the analog interface to read

Refresher Serial

Sending Values

```
int count = 0;

void setup()           // run once, when the sketch starts
{
  Serial.begin( 9600 ); // Setups Serial Communications
}

void loop()           // run over and over again
{
  Serial.print( "Looped " ); // Output a String
  Serial.print( count );     // Output the number of loops
  Serial.println( " times" ); // Output the end of line
  count++;                  // Increment the value
  delay(1000);              // waits for a second
}
```



Sending Values

```
int count = 0;



void setup()           // run once, when the sketch starts
{
  Serial.begin( 9600 ); // Setups Serial Communications
}

void loop()           // run over and over again
{
  Serial.print( "Looped " ); // Output a String
  Serial.print( count );     // Output the number of loops
  Serial.println( " times" ); // Output the end of line
  count++;                  // Increment the value
  delay(1000);              // waits for a second
}
```


```
Looped 1 times
Looped 2 times
Looped 3 times
```




RGB LED



Color Mixing





Now let's put them together

